

Acrovyn® 4000 and Renaissance™ Real Wood and Metal Cradle to Cradle Certified™ Product Summary

Acrovyn Cradle to Cradle Certified™ products can contribute to:



- LEED® v4 Building Product Disclosure and Optimization - Material Ingredients
 - Option 1. Material Ingredient Reporting (1 point) / Use at least 20 different permanently installed products from at least five different manufacturers. Acrovyn products *Cradle to Cradle Certified™* Version 3.1 Gold and Version 3.1 Silver meet the credit requirements.
 - Option 2. Material Ingredient Optimization (1 point) / Use at least 25%, by cost, of the total value of permanently installed products in the project. Acrovyn products *Cradle to Cradle Certified™* Version 3.1 Gold are valued at 150% of cost and Version 3.1 Silver are valued at 100% of cost.
- Living Building ChallengeSM 3.0 - Materials Red List
 - Acrovyn products *Cradle to Cradle Certified™* under Version 3.1 with a Material Health score of Silver or higher are likely to comply with the LBC Red List because they are inventoried to at least 100ppm and *Cradle to Cradle Certified™* Products Program uses an assessment protocol similar to the LBC Red List. For written confirmation and additional ingredient disclosure, project teams should call Construction Specialties (CS) at 800.233.8493.

What is the Cradle to Cradle Certification™ level of Acrovyn products?

- *Cradle to Cradle Certified™* levels achieved by Acrovyn products are based on the lowest assessment level of model variations and finishes selected. In some cases, there are noncertified model variations that are exceptions to the current product platform certifications. Each unique product will need to be evaluated to determine its certification level.

How do I determine the certification level of a specified product?

- Complete the actions in pages 2-7 of this document. [The Summary Guide](#) (pages 2-6) will walk you through the six steps necessary to determine the product certification level. The guide is to be used in conjunction with the [Summary Worksheet](#) (page 7). Complete one Summary Worksheet per model.
- Options listed are standard models and finishes. Certification of custom models and finishes will be evaluated on a case-by-case basis.
- Due to the number of available model options, it is recommended to confirm the product certification level with CS when the order is placed.
- For assistance, call CS at 800.233.8493.

Where do I find Acrovyn Cradle to Cradle certificates?

- Visit www.acrovyn.com/c2c
- Certified models that have only Acrovyn materials are part of these product platform certifications:
 - Acrovyn 4000 Wall and Door Protection (Select Models and Finishes) Gold Version 3.1
 - Acrovyn 4000 Wall and Door Protection (Select Models and Finishes) Silver Version 3.1
- Any certified models that include wood and/or metal materials are part of these product platform certifications:
 - Renaissance Real Wood and Metal Wall Guards (Select Models and Finishes) Gold Version 3.1
 - Renaissance Real Wood and Metal Wall Guards (Select Models and Finishes) Silver Version 3.1
- Models with a 2 superscript in [Step 1](#) of the Summary Guide (pages 2-3) may require both an Acrovyn and a Renaissance certificate. Refer to the table in [Step 2](#) of the guide for additional information (page 4).

Summary Guide

Determining Cradle to Cradle Certification™ Level of Specified Models

- To determine product certification level, complete each of the six steps in this guide and record the required information in the [Summary Worksheet](#) (page 7). For assistance, call CS at 800.233.8493.



Step 1

Locate the specified corner guard, crash rail, door protection, handrail or wall covering model in the list of certified models below and complete Steps 1.1-1.3

Only the models listed are considered *Cradle to Cradle Certified™* per current product certifications.

- 1.1 After finding the model in the list below, complete steps 1.2-1.3 and record the information in the Summary Worksheet (page 7). If you cannot locate the model, call CS for additional information.
- 1.2 In [Section A](#) of the worksheet (page 7), check the [material surfaces](#) and applicable [superscripts](#) for the model. When finished, continue on to step 1.3.
- 1.3 Record the certification level of the model in [Step 1](#) of the worksheet Tally Selection Table (page 7). Check the box corresponding to the certification level (*Gold or Silver*) listed in front of the model then move on to [Step 2](#) of this guide (page 4).

Visit www.acrovyn.com for model information. Click on Details & Specs then select the model type and the specific model.

Corner Guards: Surface Mounted

➤ **Acrovyn surfaces only**

- Corner Guards with Aluminum Retainers - Certified Gold: [SM-10N](#) / [SM-20AN^A](#) / [SM-20MN](#) / [SSM-10N](#) / [SSM-15N](#) / [SSM-20AN^A](#) / [SSM-25AN](#)
- Corner Guards with Re grind Retainers - Certified Gold: [SM-20N^A](#) / [SSM-20N^A](#) / [SSM-25N](#)
- Self-Adhesive Corner Guards - Certified Gold: [VA-034N](#) / [VA-200MN](#) / [VA-200N](#) / [VA-250MN](#) / [VA-250N](#)
- Thermoformed Corners (.040" & .060") - Certified Gold: [TFC-40AN^M](#) / [TFC-60AN^M](#) / [TFCH-40AN^M](#) / [TFCH-60AN^M](#)

Corner Guards: Renaissance

➤ **Wood & Metal surfaces**

- Corner Guards (stainless end caps standard; wood end caps available) - Certified Gold: [SMWS-10^P](#) / [SMWS-20^P](#) / [SMWS-20M^P](#)

Corner Guards: Flush Mounted

➤ **Acrovyn surfaces only**

- Corner Guards - Certified Gold: [FS-10N](#) / [FS-10MN](#) / [FS-20N](#) / [SFS-20N](#)

Crash Rails, Bumper Guards & Accent Rails

➤ **Acrovyn surfaces only**

- Crash Rails with Aluminum Retainers - Certified Gold: [SCR-40N](#) / [SCR-48MN](#) / [SCR-50MN](#) / [SCR-64MN](#) / [SCR-80MN](#)
- Crash Rails with Aluminum Clips - Certified Gold: [SCR-48N](#) / [SCR-50N](#) / [SCR-64N](#) / [SCR-80N](#)
- Crash Rails with Bumper Cushions - Certified Gold: [BCR-40N](#) / [BCR-48N](#) / [BCR-50N](#) / [BCR-64N](#) / [BCR-80N](#)
- Crash Rails with Extended Brackets - Certified Gold: [ECR-40N](#) / [ECR-48N](#) / [ECR-64N](#)
- Bumper Guards - Certified Gold: [BG-10N](#) / [BG-30N](#)
- Bed Locators - Certified Gold: [BL-100AN](#) / [BL-200AN](#)
- Accent Rails - Certified Gold: [FR-125N](#) / [FR-225N^{A, C}](#) / [FR-270N](#)
- Rub Strips (.040" & .060") - Certified Gold: [RS-40AN^M](#) / [RS-60AN^M](#) / [RS-40TN](#) / [RS-60TN](#)

Crash Rails: Renaissance

➤ **Acrovyn & Wood surfaces**

- Accent Rail - Certified Gold: [FRW-270N²](#)

➤ **Wood surfaces only**

- Crash Rail & Accent Rails - Certified Gold: [AW-CR^F](#) / [FRW-225](#) / [FRW-260^F](#)

➤ **Wood & Metal surfaces**

- Crash Rails & Accent Rails (stainless end caps standard; wood end caps available) - Certified Gold: [CRWS-1^P](#) / [CRWS-2](#) / [CRWS-3^P](#) / [FRWS-1^P](#) / [FRWS-2](#) / [FRWS-3^P](#)

Door Protection

➤ Acrovyn surfaces only

- Door Cladding (.040" & .060") - Certified Gold: [3DP-40AN^T](#) / [3DP-60AN^T](#) / [3DP-40TN](#) / [3DP-60TN](#)
- Door Edge Protection (.040" & .060") - Certified Gold: [DEPL-40AN^T](#) / [DEPL-60AN^T](#) / [DEPU-40AN^T](#) / [DEPU-60AN^T](#) / [DEPL-40TN](#) / [DEPL-60TN](#) / [DEPU-40TN](#) / [DEPU-60TN](#)
- Door Knob & Latch Protection - Certified Gold: [DNP-1N](#) / [DNP-2N](#) / [DNP-3N](#) / [DNP-4N](#) / [DNP-5N](#) / [DNP-6N](#) / [DNP-7N](#) / [DNP-8N](#) / [DNP-9N](#) / [DNP-10N](#)
- Kick Plates & Push Plates (.040" & .060") - Certified Gold: [Custom Kick Plates^T](#) / [KP-40AN^T](#) / [KP-60AN^T](#) / [PP-40AN^T](#) / [PP-60AN^T](#) / [KP-40TN](#) / [KP-60TN](#) / [PP-40TN](#) / [PP-60TN](#)

Door Frame Protection

➤ Acrovyn surfaces only

- Door Frame Protection - Certified Gold: [A1-DFPAN^T](#) / [A2-DFPAN^T](#) / [A1-DFPTN](#) / [A2-DFPTN](#) / [B1-DFPAN^T](#) / [B2-DFPAN^T](#) / [B1-DFPTN](#) / [B2-DFPTN](#)

Handrail Qualifying Notes:

- The surfaces called out do not include the bracket materials. For example, a wood handrail with stainless steel brackets is listed under the heading for wood surfaces only.
- The models with *CM* include a behavioral health continuous aluminum mounting bracket.
- The models with *HL* include bariatric high load hardware.

Handrails: Acrovyn

➤ Acrovyn surfaces only

- Handrails - Certified Gold: [HRB-35N](#) / [HRB-35CMN^{2, P}](#) / [HRB-4CN](#) / [HRB-4CCMN^{2, P}](#) / [HRB-4CHLN](#) / [HR-6CN^{C, S}](#) / [HRO-6N^C](#) / [HRB-10CN](#) / [HRB-10CHLN](#) / [HRB-20N](#) / [HRB-20HLN](#) / [HRB-20CM^{2, P}](#) / [HRB-20CMHLN^{2, P}](#)

Handrails: Renaissance

➤ Acrovyn & Wood surfaces

- Handrails - Certified Gold: [HRBW-35N²](#) / [HRBW-10CN²](#) / [HRBW-10CHLN²](#) / [HRBW-20N²](#) / [HRBW-20CMN^{2, P}](#) / [HRW-10C^{2, F}](#) / [HRW-10CG²](#) / [HRW-10CGHL²](#) / [HRW-10CHL^{2, F}](#) / [HRW-10CQ^{2, F}](#) / [HRW-10CQG²](#)

➤ Wood surfaces only

- Handrails - Certified Gold: [AW-10C^F](#) / [AW-10CCM^{F, P}](#) / [AW-LR^F](#) / [HRW-20CM^{F, P}](#) / [HRW-20^F](#) / [HRW-35](#) / [HRW-35CM^P](#) / [HRW-45^F](#) / [HRW-45CM^{F, P}](#) / [HRW-6C²](#) / [HRWS-6CW with wood end caps^S](#)

➤ Wood & Metal surfaces

- Handrails - Certified Gold: [HRW-20S](#) / [HRW-20SCM^P](#) / [HRW-45S](#) / [HRW-45SCM^P](#)

Handrails: Platform

➤ Acrovyn surfaces only

- Handrails - Certified Gold: [P-OAN^{2, C, P}](#) / [P-RAN^{2, C, P, S}](#) / [P-OAAN^{2, C, P}](#) / [P-RAAN^{2, C, P}](#)

➤ Acrovyn & Metal surfaces

- Handrails - Certified Gold: [P-OASN^{2, P}](#) / [P-RASN^{2, P}](#)
- Handrails - Certified Silver: [P-OAMN^{2, C, R}](#) / [P-RAMN^{2, C, R}](#) / [P-OMAN^{2, C, R}](#)

➤ Acrovyn & Wood surfaces

- Handrails - Certified Gold: [P-OAWGN^{2, P}](#) / [P-OAWN^{2, F, P}](#) / [P-RAWGN^{2, P}](#) / [P-RAWN^{2, F, P}](#) / [P-OWAN^{2, P}](#) / [P-RWAN^{2, P}](#)

➤ Wood surfaces only

- Handrails - Certified Gold: [P-OW^P](#) / [P-RW^P](#) / [P-OWW^{F, P}](#) / [P-OWWG^P](#) / [P-RWW^{F, P}](#) / [P-RWWG^P](#)

➤ Wood & Metal surfaces

- Handrails - Certified Gold: [P-OWS^P](#) / [P-RWS^P](#)
- Handrails - Certified Silver: [P-OMW^{F, R}](#) / [P-OMWG^R](#) / [P-OWM^R](#) / [P-RWM^R](#)

➤ Metal surfaces only

- Handrails - Certified Silver: [P-OM^R](#) / [P-OMM^R](#) / [P-OMS^R](#)

Wall Covering

➤ Acrovyn surfaces only

- High Impact Wall Covering (.040", .060" & .075") - Certified Gold: [WC40N^M](#) / [WC60N^M](#) / [WC75N^M](#)
- Acrovyn Trims - Certified Gold: [Wainscot](#) / [Vertical](#) / [Inside Corner](#) / [Outside Corner](#)

Superscripts will be used in Step 2 of this guide and are explained in the table on [page 4](#).



Step 2 Review the superscripts applicable to the specified model and complete Steps 2.1-2.2

Reference the [superscripts](#) you checked in Section A of the Summary Worksheet (page 7). Some superscripts call out model variation options that can lower the overall product certification level while others provide certification information specific to a model.

- 2.1** If the model does not have superscripts, check the N/A box in [Step 2](#) of the Summary Worksheet Tally Selection Table (page 7) then move on to [Step 3](#) of this guide (page 5).
- 2.2** If the model has any superscripts, see the table below to determine if the superscript is for an optional model variation or additional information. If the model has more than one superscript, repeat steps 2.2.1-2.2.2 for each superscript.
 - 2.2.1** If the superscript is additional information, check the N/A box in [Step 2](#) of the worksheet Tally Selection Table then move on to [Step 3](#) of this guide (page 5).
 - 2.2.2** For models with optional model variations, determine if you will be using the option or not.
 - 2.2.2.1** If not using an optional model variation, check the N/A box in [Step 2](#) of the worksheet Tally Selection Table then move on to [Step 3](#) of this guide (page 5).
 - 2.2.2.2** If using an optional model variation, look at the certification information in the Yes column below. Check the box corresponding to the certification level (*Silver* or *Not Certified*) in [Step 2](#) of the worksheet Tally Selection Table then move on to [Step 3](#) of this guide (page 5).

Visit www.acrovyn.com for model information. Click on *Details & Specs* then select the model type and the specific model.

| If using an optional model variation, record the certification level from the Yes column in Step 2 of the Summary Worksheet Tally Selection Table (page 7). If not, check the N/A box. | | If Yes, check |
|---|---|-------------------------|
| F Optional | Will you be using optional feature inserts? (<i>Inserts are optional for specific wood handrails. Certified models without inserts are available.</i>) | Not certified |
| P Optional | Will you be powder coating metal surfaces of the model selected? (<i>Powder coating is optional for stainless steel accents faces, crash rails, end caps and brackets, as well as, aluminum continuous mounting brackets. If not powder coating, certification level of model will be determined by other colors/patterns/finishes selected.</i>) | Certified Silver |
| S Optional | Will you be using stainless steel end caps instead of Acrovyn or wood end caps? (<i>End cap options apply to specific handrails. When installed with Acrovyn or wood end caps, models are certified.</i>) | Not certified |
| The material costs of the items that are not part of the product certification should not be included in LEED® v4 Building Product Disclosure and Optimization – Material Ingredients Option 2 calculations. | | For all, check |
| A FYI | Optional accent reveals are not the part of the product certification (<i>This only applies to FR-225N accent rail and specific SM corner guards. Models can be purchased without reveal.</i>) | N/A |
| C FYI | Optional inside/outside corners are not part of the product certification (<i>This only applies to FR-225N accent rail and specific handrails. Models can be installed with end caps. End caps are part of the product platform certification.</i>) | N/A |
| M FYI | Acrovyn Interiors Heavy Duty Water Based Mastic Adhesive and Acrovyn Interiors Water Based Mastic Primer are not part of the product certification. | N/A |
| R FYI | Aluminum handrails and crash rails require powder coating. You will need to select a finish in Step 6 of this guide. The highest certification level that can be achieved by these models is <i>Silver</i> . | N/A |
| T FYI | 3M™ Fastbond™ Contact Adhesive is not part of the product certification (<i>This only applies to specific door protection. Models can also be installed with double sided tape which is part of the product certification.</i>) | N/A |
| 2 FYI | When submitting supporting documentation, you will need to submit two certificates as these models have components and/or finishes certified under an Acrovyn and a Renaissance certificate. Exception: If the continuous aluminum mounting brackets for HRB-20CMN, HRB-20CMHLN, HRB-35CMN or HRB-4CMN are not powder coated, only the Acrovyn certificate is required. | N/A |

To navigate to another section of the Acrovyn® 4000 and Renaissance™ Real Wood and Metal Cradle to Cradle Certified™ Product Summary, see below:

[Page 1](#) Cradle to Cradle Certified™ Information for Acrovyn
[Step 1](#) Models (pages 2-3)
[Step 3](#) Acrovyn Colors/Patterns (page 5)

[Step 4](#) Wood Species (page 6)
[Step 5](#) Wood Stains (page 6)

[Step 6](#) Powder Coat Finishes (page 6)
[Summary Worksheet](#) (page 7)



Select the Acrovyn solid color or the Chameleon pattern for models with Acrovyn surfaces and/or brackets. Complete Steps 3.1-3.2

Reference the [material surfaces](#) you checked in Section A of the Summary Worksheet (page 7).

- 3.1** If the model does not have an Acrovyn surface, check the N/A box in [Step 3](#) of the Summary Worksheet Tally Selection Table (page 7) then move on to [Step 4](#) of this guide (page 6).
 - 3.1.1** Exception: For the wood handrail model [HRW-6C](#), select the solid color from the list below for the Acrovyn brackets and check the box corresponding to the certification level (*Gold or Silver*) in [Step 3](#) of the worksheet Tally Selection Table. Then move on to [Step 4](#) of this guide (page 6).
- 3.2** For models with an Acrovyn surface, select the color/pattern from the list below and check the box corresponding to the certification level (*Gold, Silver or Not Certified*) in [Step 3](#) of the worksheet Tally Selection Table. Then move on to [Step 4](#) of this guide (page 6).
 - 3.2.1** Handrail models [HR-6N](#), [HRB-10CN](#), [HRB-20N](#), [HRBW-10CN](#), [P-OAAN](#) and [P-RAAN](#) can integrate two to three different Acrovyn colors/patterns. (Refer to the CAD detail for the model.) If selecting more than one color/pattern for the model, record the certification level of each in the table. (Visit www.acrovyn.com/handrails to view handrail options.)

Visit www.acrovyn.com for color information. Click on Finishes & Colors then select [Acrovyn Solid Colors](#) or [Chameleon Simulated Patterns](#).

➤ **Acrovyn Solid Colors**

| | | |
|----------------------------------|-------------------------------------|-----------------------------------|
| 920 Almond - Gold | 262 Driftwood - Gold | 136 Pearl Gray - Gold |
| 848 Aspen - Gold | 100 Eggshell - Gold | 858 Pumice - Gold |
| 103 Beige - Gold | 196 Fawn - Gold | 874 Riverbed - Gold |
| 198 Beige Desert - Gold | 265 Fog - Gold | 321 Russet - Gold |
| 318 Berry Red - Silver | 927 Folkstone - Gold | 326 Rustic Red - Silver |
| 108 Black - Gold | 101 French Cream - Gold | 660 Sage Green - Gold |
| 930 Blue Silk - Gold | 315 Galveston Gray - Gold | 522 Savannah - Silver |
| 957 Bluestone - Silver | 984 Garden Sprout - Gold | 319 Saybrook Sage - Silver |
| 320 Brick - Silver | 193 Gingerspice - Gold | 323 Serene Green - Gold |
| 106 Brown - Silver | 520 Imperial Purple - Silver | 307 Sienna - Gold |
| 519 Buttercream - Silver | 997 Irish Cream - Gold | 209 Slate - Gold |
| 325 Cape Blue - Gold | 513 Khaki Brown - Gold | 521 Spanish Moss - Silver |
| 479 Cappuccino - Gold | 317 Kona - Gold | 187 Tan Bark - Gold |
| 303 Caramel - Gold | 933 Mission White - Gold | 517 Teton White - Gold |
| 311 Celery - Gold | 105 Mocha - Gold | 480 Toffee - Gold |
| 186 Champagne - Gold | 305 Mushroom - Gold | 309 Tranquil Blue - Gold |
| 162 Charcoal - Gold | 853 Ocean Gray - Silver | 324 Underseas - Gold |
| 316 Chestnut - Gold | 696 Olive Grove - Silver | 313 Vanilla - Silver |
| 194 Chinchilla - Gold | 929 Oyster Gray - Gold | 254 Wheat - Gold |
| 405 Colorado Trail - Gold | 314 Ozark - Gold | 949 White - Gold |
| 223 Danube - Gold | 253 Parchment - Silver | 129 Yale Blue - Silver |
| 102 Desert Sand - Gold | 322 Peanut Brittle - Gold | 310 Yosemite Sand - Gold |
| 866 Doeskin - Gold | 934 Pearl - Gold | |

➤ **Chameleon Simulated Patterns**

| | | |
|--------------------------------------|--|------------------------------------|
| 373 Amber Cherry - Silver | 399 Cherry - Not Certified | 379 Honey Birch - Silver |
| 377 American Beech - Silver | 372 Classic Maple - Silver | 376 Northern Oak - Silver |
| 375 Autumn Maple - Silver | 382 Cocoa Maple - Silver | 374 Regal Mahogany - Silver |
| 445 Berkshire Cherry - Silver | 658 Concrete - Silver | 385 Royal Oak - Silver |
| 704 Brazilian Nut - Silver | 653 Ebony Walnut - Silver | 380 Shaker Cherry - Silver |
| 378 Brushed Nickel - Silver | 381 Figured Anigre - Silver | 656 Sunlit Maple - Silver |
| 410 Brushed Silver - Silver | 701 Ginger Root - Silver | 654 Urbanwood - Silver |
| 342 Burnt Sugar - Silver | 386 Honduras Mahogany - Not Certified | 383 Vintage Walnut - Silver |

Step 4 Select the wood species for models with wood surfaces and complete Steps 4.1-4.2

Reference the [material surfaces](#) you checked in Section A of the Summary Worksheet (page 7).

- 4.1 If the model does not have a wood surface, check the N/A box in [Step 4](#) of the Summary Worksheet Tally Selection Table (page 7) then move on to [Step 5](#) of this guide (below).
- 4.2 If the model does have a wood surface, select the wood species below and check the box corresponding to the certification level (Gold or Silver) in [Step 4](#) of the worksheet Tally Selection Table. Then move on to [Step 5](#) of this guide (below).
 - 4.2.1 Handrail models [HRW-10C](#), [P-OWW](#) and [P-RWW](#) can integrate up to two different wood species. If selecting more than one species for the model, record the certification level of each in the table.

Visit www.acrovyn.com for wood species information. Click on [Finishes & Colors](#) then select [Renaissance Real Wood Options](#).

➤ Wood Species

Ash - Gold Bamboo - Silver Beech - Silver Cherry - Gold Maple - Gold Oak - Gold

Step 5 Select the wood stain for models with wood surfaces and complete Steps 5.1-5.2

Reference the [material surfaces](#) you checked in Section A of the Summary Worksheet (page 7).

- 5.1 If the model does not have a wood surface, check the N/A box in [Step 5](#) of the Summary Worksheet Tally Selection Table (page 7) then move on to [Step 6](#) of this guide (below).
- 5.2 If the model does have a wood surface, select the wood stain below and check the box corresponding to the stain certification level (Gold or Silver) in [Step 5](#) of the worksheet Tally Selection Table. Then move on to [Step 6](#) of this guide (below).
 - 5.2.1 Handrail models [HRW-10C](#), [P-OWW](#) and [P-RWW](#) can integrate up to two different wood stains. If you're selecting more than one stain for the model, record the certification level of each in the table.

Visit www.acrovyn.com for wood stain information. Click on [Finishes & Colors](#) then select [Renaissance Real Wood Options](#)

➤ Wood Stains

Cherry - Silver Honey - Silver Light Oak - Silver Natural - Gold Walnut - Silver

Step 6 Select the powder coat finish for models with metal surfaces and/or stainless steel brackets. Complete Steps 6.1-6.2

Reference the [superscripts](#) you checked in Section A of the Summary Worksheet (page 7).

- 6.1 If the model does not have a P or R superscript, check the N/A box in [Step 6](#) of the Summary Worksheet Tally Selection Table (page 7) then move on to [Section B](#) of the Summary Worksheet (page 7).
- 6.2 If the model does have a P or R superscript, complete step 6.2.1(P) or 6.2.2 (R).
 - 6.2.1 The P superscript indicates a powder coat finish is optional for the aluminum or stainless steel components of the model. If you choose to use a powder coat finish, select the finish below and check the box corresponding to the finish certification level (Silver) in [Step 6](#) of the worksheet Tally Selection Table. Then move on to [Section B](#) of the Summary Worksheet (page 7).
 - 6.2.2 The R superscript indicates a powder coat finish is required for the aluminum components of the model. Select the finish below and check the box corresponding to the finish certification level (Silver) in [Step 6](#) of the worksheet Tally Selection Table. Then move on to [Section B](#) of the Summary Worksheet (page 7) to tabulate the overall certification level of the specified product.
 - 6.2.2.1 Handrail models [P-OMM](#) and [P-OMS](#) can integrate two to three different powder coat finishes. There is no change to the model (Silver) certification level.

Visit www.acrovyn.com for powder coat information. Click on [Finishes & Colors](#) then select [Renaissance Metal Powder Coat Finishes](#).

➤ Powder Coat Finishes

010 **Black** - Silver 016 **Haze** - Silver 407 **Silver** - Silver
017 **Gray Beige** - Silver 015 **Sand Dune** - Silver 008 **Weathered Iron** - Silver
004 **Gray Hammertone** - Silver

Summary Worksheet

Tabulating Cradle to Cradle Certification™ Level of Specified Model

➤ As you complete each of the six steps in the [Summary Guide](#) (pages 2-6), record the required data in this worksheet.

Section A - Tally Selections for Model: _____

- Start at [Step 1](#) of the Summary Guide (pages 2). Locate the specified model and check the applicable material surfaces and superscripts below. (Step 1.2 of the guide.)
 - Surfaces** refers to the visible surfaces of the model. For example, but not limited to, Acrovyn covers, wood rails and metal accents. (Surface headings do not include bracket materials.) Check all surface materials listed for the model. This information will be used in Steps 3-6 of the guide: **Acrovyn** **Wood** **Metal**
 - Superscripts** call out model variations that can change the product certification level or provide additional information specific to the model. Check all superscripts listed with the model. This information will be used in [Steps 2](#) and [6](#) of the guide: **A** **C** **F** **M** **P** **R** **S** **T** **2** **N/A (no superscripts)**
- Refer to [Step 1.3](#) of the guide (page 2) then check the applicable box in the Tally Selection Table below for [Step 1](#).
- Go to [page 4](#) of the Summary Guide. Complete the five remaining steps (pages 4-6) and record the required information in the table below. After all six steps are completed, you can tabulate the overall certification level of the product in [Section B](#) below.

| Links below go to guide | Tally Selection Table Check the applicable boxes, then move on to the next step. | Certification Level | | | |
|--|---|--------------------------|--|--|--|
| | | N/A | Gold | Silver | Not Certified |
| Step 1 Models | Check the box corresponding to the model certification level. (Reference pages 2-3.) | | <input type="checkbox"/> | <input type="checkbox"/> | |
| Step 2 Superscripts | If you're using any superscripted optional model variations, check the box corresponding to the certification information in the Yes column for each model variation being used. Otherwise, check N/A. (Reference page 4.) | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> |
| Step 3 Colors | If the model has Acrovyn surfaces, check the box corresponding to the certification level of the color/pattern selected. Otherwise, check the N/A box. (Some handrail models allow for multiple colors/patterns; check the corresponding box for each.) (Reference page 5.) | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
| Step 4 Wood Species | If the model has wood surfaces, check the box corresponding to the certification level of the wood species selected. Otherwise, check the N/A box. (Some handrail models allow for multiple species selections; check the corresponding box for each.) (Reference page 6.) | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | |
| Step 5 Wood Stain | If the model has wood surfaces, check the box corresponding to the certification level of the wood stain selected. Otherwise, check the N/A box. (Some handrail models allow for multiple stain selections; check the corresponding box for each.) (Reference page 6.) | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | |
| Step 6 Powder Coat | If the metal surfaces will be powder coated, check the Silver box. Otherwise, check the N/A box. (Reference page 6.) | <input type="checkbox"/> | | <input type="checkbox"/> | |

Section B - Tabulate Cradle to Cradle Certification™ Level

➤ You must complete all six steps of the [Summary Guide](#) (pages 2-6) to determine the overall certification level.

- ✓ If there are checks in the **Gold** column **only**, the product is **Cradle to Cradle Certified™ Gold Version 3.1**.
- ✓ If there are any checks in the **Silver** column with **no** checks in the **Not Certified** column, the product is **Cradle to Cradle Certified™ Silver Version 3.1**.
- ✓ If there are **any** checks in the **Not Certified** column, the product is not considered certified.

Refer to [Page 1](#) for LEED® v4 and LBC Materials Red List information as it pertains to Acrovyn Cradle to Cradle Certified™ products. **If the desired certification level is not achieved, consider changing the finishes/colors/patterns and/or the optional superscript selections.** Due to the number of available model options, it is recommended to confirm the product certification level with CS when the order is placed.

